BOARD QUESTION PAPER: MARCH 2017

Note										
i. ii. iii. iv. v. vi.	All q Answ Draw Figur Use o	wers or well res to	ons are compulsory. If both the sections she labelled diagrams and the right indicate full arithmic table is allow question must be sta	d write balance marks. ved.	d equation			sary.		
				SEC	CTION -	- II				
Q.5.		et an questi	d write the most on:	appropriate	answer	from the	given	alternatives	for each	[7]
	i.	Whe	n primary amine reac	ets with CHCl ₃	in alcoho	lic KOH, tl	ne produ	act is		
		(A)	aldehyde		(B)	alcohol				
		(C)	cyanide		(D)	an isocya	nide			
	ii.	CH ₃ -	-CH ₂ -Br Alcoholic KOH	$\xrightarrow{\text{HBr}} C$	Na/ether	\rightarrow D, the co	mpound	d D is	<u>.</u> .	
		(A)	ethane		(B)	propane				
		(C)	n-butane		(D)	n-pentane				
	iii.	Cisp	latin compound is us	ed in the treatm	ent of					
		(A)	malaria		(B)	cancer				
		(C)	AIDS		(D)	yellow fe	ver			
	iv.	A ga	s when passed throug	gh K ₂ Cr ₂ O ₇ and	dil. H ₂ S0	O ₄ solution	turns it	green, the gas	is	
		(A)	CO_2		(B)	NH_3				
		(C)	SO_2		(D)	Cl_2				
	v.	The	alcohol used in therm	nometers is	·					
		(A)	methanol		(B)	ethanol				
		(C)	propanol		(D)	butanol				
	vi.	Whic	ch of the following vi	tamins is the vi	itamin of	alicyclic se	eries?			
		(A)	Vitamin C		(B)	Vitamin I	ζ.			
		(C)	Vitamin B		(D)	Vitamin A	Α			

Which of the following is the first oxidation product of secondary alcohol?

(B)

Aldehyde (D) Carboxylic acid

vii.

(A) Alkene

(C) Ketone

	i.	How is diethyl ether prepared by continuous etherification process?	
	ii.	Write a note on Hoffmann bromamide degradation.	
	iii.	How is ethanoic acid prepared from dry ice?	
	iv.	Write the molecular and structural formula of BHA and BHT.	
	v.	Explain the preparation of glucose from cane sugar.	
	vi.	Write the factors which are related to the colour of transition metal ions.	
	vii.	Explain the following terms:	
		a. Homopolymers b. Elastomers	
	viii.	Define racemic mixture. CH ₃	
		Give IUPAC name of $CH_3 - CH_2 - CH - CHO$.	
Q.7.	Ansv	ver any THREE of the following:	[9]
	i.	What is 'effective atomic number' (EAN)?	
		Calculate the effective atomic number of the central metal atom in the following compounds: a. $K_4Fe(CN)_6$ b. $Cr(CO)_6$ Fe(Z=26) $Cr(Z=24)$	
	ii.	Write the different oxidation states of iron. Why $+2$ oxidation state of manganese is more stable? (Z of Mn = 25).	
	iii.	Write a note on 'aldol condensation'.	
	iv.	What are 'nucleic acids'?	
	1,1.	Define complex lipids. Mention any 'two' functions of lipids.	
Q.8.	Ansv	ver any ONE of the following:	[7]
	i.	What is the action of mixture of NaNO ₂ and dil. HCl on:	
		a. Ethylamine b. Aniline c. Diethylamine How is nylon 6,6 prepared? What are 'antacids'?	
		Write any 'two' side effects of tranquilizers.	
	ii.	Explain the mechanism of alkaline hydrolysis of tert-butyl bromide with energy profile diagram.	
		Define carbolic acid.	
		How carbolic acid is prepared from benzene sulphonic acid?	
		carried as propared from constant campuonic acid.	

[12]

Q.6. Answer any SIX of the following:

BOARD QUESTION PAPER: MARCH 2017

1	NΤ	_	4	_	
П	•	"	ч	μ	•

All questions are compulsory. i.

(C) 4

- Answers of both the sections should be written in same answer book. ii.
- Draw well labelled diagrams and write balanced equations wherever necessary. iii.
- Figures to the right indicate full marks. iv.
- Use of logarithmic table is allowed. V.
- Every new question must be started on a new page. vi.

i.	An antifriction alloy made up of antimony with tin and copper, which is extensively used in machine bearings is called						
	(A)	Duralumin	(B)	Babbitt metal			
	(C)	Spiegeleisen	(D)	Amalgam			
ii.	Which of the following pairs is an intensive property?						
	(A)	Density, viscosity	(B)	Surface tension, mass			
	(C)	Viscosity, internal energy	(D)	Heat capacity, volume			
iii.	Fe ²⁺ ions react with nitric oxide formed from reduction of nitrate and yields a brown coloured complex						
		$[Fe(CO)_5NO]^{2+}$		$\left[\mathrm{Fe}(\mathrm{NH_3})_5\mathrm{NO}\right]^{2^+}$			
	(C)	[Fe(CH3NH2)5NO]2+	(D)	[Fe(H2O)5NO]2+			
iv.	MnO ₂ and Ca ₃ (PO ₄) ₂ present in iron ore get reduced to Mn and P in the zone of						
	(A)	combustion	(B)	reduction			
	(C)	fusion	(D)	slag formation			
V.	An ionic compound crystallises in FCC type structure with 'A' ions at the centre of each face and 'B' ions occupying corners of the cube. The formula of compound is						
	(A)	AB_4	(B)	A_3B			
	(C)	AB	(D)	AB_3			
vi.	On passing 1.5 F charge, the number of moles of aluminium deposited at cathode are [Molar mass of $Al = 27$ gram mol^{-1}]						
	(A)	1.0	(B)	13.5			
	(C)	0.50	(D)	0.75			

(D) 1

Q.2. Answer any SIX of the following:

- What are 'fuel cells'? Write cathode and anode reaction in a fuel cell. i.
- ii. Derive the relationship between half life and rate constant for first order reaction.
- Explain magnetic separation process of ores with the help of a neat, labelled diagram. iii.
- Derive the relationship between relative lowering of vapour pressure and molar mass of iv. solute.
- V. Define the term 'enthalpy'.

What will happen to the internal energy if work is done by the system?

- vi. Nitrogen does not form pentahalides. Give reason.
- vii. Calculate the percentage efficiency of packing in case of simple cubic cell.
- viii. Write the electronic configuration of the following elements:
 - Sulphur (Z = 16)

b. Krypton (Z = 36)

Q.3. Answer any THREE of the following:

- How is phosphine prepared using the following reagents?

 - b. H_2SO_4
 - Caustic soda
- ii. 0.05 M NaOH solution offered a resistance of 31.6 Ω in a conductivity cell at 298 K. If the cell constant of the cell is 0.367 cm⁻¹, calculate the molar conductivity of NaOH solution.
- Calculate ΔH° for the reaction between ethene and water to form ethyl alcohol from the iii. following data:

$$\Delta_{\rm c} {\rm H}^{\circ} {\rm C}_{2} {\rm H}_{5} {\rm OH}_{(l)} = -1368 \ {\rm kJ}$$

$$\Delta_{\rm c} {\rm H}^{\circ} {\rm C}_{2} {\rm H}_{4(g)} = -1410 {\rm kJ}$$

Does the calculated ΔH° represent the enthalpy of formation of liquid ethanol?

In the Arrhenius equation for a first order reaction, the values of 'A' of 'E_a' are $4 \times 10^{13} \text{ sec}^{-1}$ iv. and 98.6 kJ mol⁻¹ respectively. At what temperature will its half life period be 10 minutes?

$$[R = 8.314 \text{ J K}^{-1} \text{ mol}^{-1}]$$

[7]

Q.4. Answer any ONE of the following:

State Faraday's first law of electrolysis.

Write any 'two' uses of each of the following:

a.
$$H_2SO_4$$

Chlorine

Distinguish between crystalline solids and amorphous solids.

A solution of a substance having mass 1.8×10^{-3} kg has the osmotic pressure of 0.52 atm at 280 K. Calculate the molar mass of the substance used.

[Volume =
$$1 \text{ dm}^3$$
, R = $8.314 \text{ J K}^{-1} \text{ mol}^{-1}$]

- Define the following: ii.
 - a. Leaching
 - Metallurgy b.
 - Anisotropy c.

Derive an expression for maximum work.

The boiling point of benzene is 353.23 K. When 1.80 gram of non-volatile solute was dissolved in 90 gram of benzene, the boiling point is raised to 354.11 K. Calculate the molar mass of solute.

$$[K_b \text{ for benzene} = 2.53 \text{ K kg mol}^{-1}]$$

[9]

[12]